



Marion County Health Department

Plan Review Worksheet for Tanning Facility

To be completed by the operator and submitted to the Marion County Health Department,
300 Second Street, Fairmont, WV 26554

Name of Establishment: _____

Address of Establishment: _____

WEST VIRGINIA CODE: §16-45-3

§16-45-3. Operation standards.

(a) A tanning facility shall provide to any patron who wishes to use a tanning device located within its tanning facility a disclosure and consent form relating to use of a tanning device that contains the current United States Food and Drug Administration warning as follows: "Danger. Ultraviolet Radiation. Follow instructions. Avoid overexposure. As with natural sunlight, overexposure can cause eye and skin injury and allergic reactions. REPEATED EXPOSURE MAY CAUSE PREMATURE AGING OF THE SKIN AND SKIN CANCER. WEAR PROTECTIVE EYEWEAR; FAILURE TO DO SO MAY RESULT IN SEVERE BURNS OR LONG-TERM INJURY TO THE EYES. Medications or cosmetics may increase your sensitivity to the ultraviolet radiation. Consult physician before using tanning device if you are using medications or have a history of skin problems or believe yourself especially sensitive to sunlight. If you do not tan in the sun, you are unlikely to tan from use of this product."

The disclosure and consent form must have a place for the patron's signature and the date. A signed and dated copy of the disclosure and consent form shall be maintained by the tanning facility and remains valid for one year from the date it was signed.

(b) All patrons are required to present proof of age prior to use of a tanning device. Proof of age shall be satisfied with a driver's license or other government-issued identification containing the date of birth and a photograph of the individual. Persons under the age of eighteen may not be permitted to use a tanning device.

WEST VIRGINIA CODE: §16-45-4

§16-45-4. Local health department authority to inspect.

Local health departments shall have the authority to enter and inspect a tanning facility to determine compliance with the requirements of this article.

WEST VIRGINIA CODE: §16-45-5

§16-45-5. Violations and penalties.

(a) Any owner of a tanning facility who violates the requirements of this article is guilty of a misdemeanor and, upon conviction thereof, for a first offense, shall be fined \$100.

(b) For a second offense, the owner is guilty of a misdemeanor and, upon conviction thereof, shall be fined not less than \$250 nor more than \$500.

(c) For a third offense or subsequent offense, the owner is guilty of a misdemeanor and, upon conviction thereof, shall be fined not less than \$500 nor more than \$1,000.

Rule § 64-18-21.1. Restrooms shall be provided in the number required in the State Building Code.

Rule § 64-18-7. Communicable Disease.

7.1. Good hygienic practices and disease control measures shall be employed to prevent the spread of communicable disease.

7.2. No staff member while affected with any disease in a communicable form, or while a carrier of a communicable disease, or while affected with boils, infected wounds, sores, or a respiratory infection shall work in any capacity in which there is likelihood of the staff member transmitting disease to other persons.

Water Supply

31. Will the water supply be: Municipal Existing on-site New on-site
32. If an on-site water supply is being used, is the local health department in the process of approving? Yes No*

Sewage Disposal

33. Will the sewage disposal be: Municipal Existing on-site New on-site
34. If an on-site sewage system is being used, is the System permitted and approved? Yes No*
Permit Number _____

NOTE: Permit to Operate cannot be issued without an approved sewage disposal system.

Insect and Rodent Control

35. Will outside doors be self-closing? Yes No
36. Will the facility have a drive-thru or walk-up window? Yes No
37. If 36 is yes, describe how insects will be kept out (e.g., self-closer, air curtains, etc.)

38. Are other openable windows screened? NA Yes No
39. Will openings around pipes, electrical conduits, chases and other wall perforations be sealed? Yes No
40. Will garage-style or loading bay doors be present? Yes No
41. If 40 is yes, how will garage style or loading doors be protected against vermin entry?

Solid Waste Storage

63. Outside sprinkler or irrigation system									
64. Power washer									
65. Retractable hose reel									
66. Toilet									
67. Urinal									
68. Boiler									
69. Bain-marie									
70. Espresso machine									
71. Combi-style oven									
72. Kettle									
73. Rethermalizer									
74. Steamer									
75. Overhead spray rinse									
76. Hot water dispenser									
77.									
78.									

AVB = atmospheric vacuum breaker

HB = hose bib vacuum breaker

PVB = pressure vacuum breaker

VDC = vented double check valve

RPZ = reduced pressure principle backflow preventer

Formula Information

Several calculations are required to determine if there will be adequate hot water, ventilation, dry storage space and refrigerated storage space. The information requested on the following two pages provides the necessary data for performing calculations.

79. Hot Water

List each type of plumbing fixture that uses hot water	# fixtures
Handsinks	
Bathroom Sinks	
1 Compartment Sink	
2 Compartment Sink	
3 Compartment Sink	
Vegetable Sink	
Overhead Spray Rinse	
Bar Sink ___ 3 compartment ___ 4 compartment	
Cook Sink	
Hot Water Filling Faucet	
Bain-marie	
Coffee Urn	

Kettle Stand	
Garbage Can Washer	
9 & 12 lb. Clothes Washer	
16 lb. Clothes Washer	
Employee Shower	
Mop Sink	
Dishmachine ___ hot water ___ chemical Dishmachine Make & model: _____	
Other:	
Other:	

80. Water Heater #1 Manufacturer: _____ Model number: _____

A. Hot water heater Electric _____ KW
proposed size:

Gas _____ BTU's Thermal Efficiency: _____%

B. Hot water heater _____ gallons
storage capacity:

C. Hot water heater _____ gallons per hour (@100° rise)
recovery rate:

Safety:


Will the facility be designed, maintained and operated to minimize safety hazards and promote an accident-free environment? _____

Will adequate protection against all electrical hazards be provided? _____

Does the design, installation and maintenance of the facility comply with applicable State Fire Marshal's rules? _____

Will the design, maintenance and arrangement of the facility, including lighting, minimize hazards of falls, slipping and tripping? _____

Sinks & Faucets



This single-user restroom has been designed

according to the ADAAG.

To meet ADA guidelines, sinks shouldn't be mounted higher than 34 inches from the floor, and they should have a knee clearance of 27 inches high, 30 inches wide, and 11 to 25 inches deep. You also need a clear floor space and insulated pipes under the sink.

Faucets should be lever-operated, push, touch, or electronically controlled. They should be usable with one hand without the need to tightly grasp, pinch, or twist the wrist. Users shouldn't have to exert more than 5 pounds of force to use the faucet to meet ADA requirements.

Stalls

ADA compliant urinals should be stall-type or wall-hung at a maximum of 17 inches from the floor.

Water closets must be 17 to 19 inches from the floor (measured from the floor to the top of the toilet seat). Like faucets, flush valves shouldn't require tight grasping, pinching, or twisting of the wrist.

Grab bars should be at least 36 inches long on the rear wall or 42 inches on the side wall and should be mounted 33-36 inches above the floor. They need a gripping surface of at least 1.25 inches, mounted at least 1.5 inches from the wall. They should be able to withstand at least 250 pounds of pressure.

<https://www.buildings.com/articles/33806/ada-compliant-restroom>